

Revision Date: Dec 1, 2022

1. Chemical Name and Manufacturer Information

Product Name: Papermake defoaming agent

Product use: Defoaming agent is a polyether defoaming agent, which has outstanding antifoam performance. A small amount of use can achieve the durability required by traditional antifoaming agents.

Name of Supplier: Anhui Kingcham New Materials Co., Ltd.

Supplier address:Room 1305, Jinqian Plaza, No.4680 Jinzhai Road,Shushan District, Hefei City, 230026,Anhui Province, China. Tel: 0551-68113128/68174567 Fax: 0551-68174569

2. Chemical Composition/Composition Information

Chemical composition	Content (%)	CAS #
Defoaming agent	100%	87435-55-0

3. Hazard Overview

Skin irritation (Category 2) Eye irritation (Category 2A) Specific target organ system virus (one-time exposure) (Category 3)

4. First Aid Measures

Skin contact: Take off contaminated clothes and wash them with plenty of running water. **Eye contact**: Lift eyelids and rinse them with flowing water or normal saline. Seek medical attention immediately.

Intake: Drink plenty of warm water, induce vomiting and seek medical treatment.

5. Fire Control Measures

Hazard characteristics: Combustible in case of open flame

Harmful combustion products: Carbon oxides, nitrogen oxides, hydrogen bromide **Fire extinguishing methods and extinguishing agents:** Fire extinguishing method: Evacuate people away from the fire site. Isolate the fire site and prohibit unnecessary people from entering. Soak the burning materials thoroughly with water to cool and prevent reburning. Spray water to cool containers exposed to fire and areas affected by fire until the flame is extinguished and the danger of re-burning is relieved.



Revision Date: Dec 1, 2022

If the product is contaminated, please observe the heat generation and/or decomposition of the product. When extinguishing fire, stand in the protected area or keep a safe distance. Consider using unmanned hose brackets or adjusting nozzles to extinguish fires. For small fires, you can hold dry powder fire extinguishers or carbon dioxide fire extinguishers to extinguish fires. Forced use of fire extinguishing reagents may lead to dust explosion hazard. Remove as far as possible without danger.

Fire extinguishing agent: atomized water, dry powder fire extinguisher, carbon dioxide fire extinguisher and anti-dissolving foam fire extinguisher.

Precautions for fire extinguishing: Firefighters should wear gas masks, and self-contained positive pressure respirators and full-body fire-fighting clothes should be worn for handling large amounts of leaks.

6. Emergency Treatment Of Leakage

Emergency treatment: Use personal protective equipment, avoid dust production, avoid inhaling steam, smoke or gas, ensure adequate ventilation, and evacuate personnel to a safe area. Don't let the product enter the sewer. Do not generate dust during collection and disposal, sweep and shovel it off and put it into a suitable closed container for treatment.

7. Operation And Storage

Operational Precautions: Avoid contact with skin and eyes. Avoid dust and aerosol formation. Provide suitable exhaust equipment in places with dust. General fire prevention measures.

Storage considerations: Store in a cool place, keep it airtight in a container, and store it in a dry and ventilated place.

8. Contact Control And Personal Protective Measures

Occupational exposure limit: Unlimited Engineering control: Closed operation, local exhaust Eye protection: Wear chemical safety goggles when necessary Body protection: Wear general working protective clothing Respiratory system protection: When the dust concentration in the air is high, it is recommended to wear a self- priming filter dust mask. Hand protection: Wear general work protective gloves Other protection: After work, bathe and change clothes. Pay attention to personal hygiene.

9. Physical And Chemical Characteristics

Main components: Defoaming agent Appearance and character: White Liquid Viscosity: 1000-5000cps Ionicity: Non-ionic Water-solubility: Soluble in water Main uses: Used in conventional surfactant, polymer foaming system; It has rapid defoaming effect and defoaming function.



Revision Date: Dec 1, 2022

10. Stability and Reactivity

Avoid exposure to humidity and prohibit strong oxidants.

11. Toxicological Information

LD50: No data available LC50: No data available Avoid contact with skin and eyes.

12. Ecological Information

Ecotoxicity: No data.

Biodegradation: No relevant information was found.

Abiotic Biodegradation: No relevant information was found.

Other harmful effects: In non-professional operation and treatment, the harm to the environment is not excluded.

13. Waste disposal

Property of waste: General industrial solid waste.

Waste disposal method: It is treated by a professional waste treatment company. Do not pour into any sewer, ground, or any water body. Do not burn in mixed flammable solvents.

Precautions for Abandonment: All disposal operations must comply with local regulations. Regulations may vary from region to region. Waste identification and compliance with relevant laws and regulations are the sole responsibility of waste producers. As a supplier, we cannot control the management measures or manufacturing processes in the use and treatment of this material by the user unit.

14. Transport Information

Dangerous goods number: No data

Packaging category: No data

Packaging method:Plastic drum(with inner cover or inside bag)

Transportation precautions: Packing should be complete at departure and loading should be safe. Make sure there is no leakage during transportation. It is strictly forbidden to mix with oxidants, acids, etc. During transportation, it is necessary to prevent high temperature exposure and rain.



Revision Date: Dec 1, 2022

15. Regulatory Information

Regulatory information

<< Regulations on Safe Use of Chemicals in the Workplace >>

<< Occupational Exposure Limits for Hazardous Factors in the Workplace-Chemical Factors >> (GB 2.1)

<< Environmental Management Measures for New Chemicals >>

<<Law of the People's Republic of China on the Prevention and Control of Environmental Pollution by Solid Waste>>>

<-Classification and marking of commonly used hazardous chemicals >>(GB 13690)

<<Regulations on Safety Management of Hazardous Chemicals >>

<< Dangerous Goods List >> (GB 12268)

16. Other Information

MSDS Description: This information is based on our knowledge. However, this does not Constitute a guarantee for any specific product characteristics, nor should it establish a legally effective contractual relationship.

Release department: Anhui Kingcham Technology Department **Release time:** 2022.12